ORNAMENTAL ALUMINUM FENCE & RAILING FOR ALL APPLICATIONS

Inamental Aluminum



#### HIDDEN SCREW TECHNOLOGY

Screws provide the strongest, rattle-free connection between pickets and fence rails. Screws can, however, become a major problem over time when they loosen and back out of the pickets. To eliminate this critical problem, Eastern Ornamental Aluminum® fences utilize a unique "Aluminum Feature Strip" that covers the assembly screws and locks them in place. The paint on exposed assembly screws can easily crack or peel leaving unsightly silver screw heads all over the fence section. With Eastern Ornamental's Hidden Screw Technology, all assembly screws will be forever "out of sight-out of mind!"

### RACKABILITY

The ability to "rack" or smoothly follow changes in terrain is built into every Eastern Ornamental Aluminum fence section. This ensures a clean and begutiful fence line.

 $\times \times \times$ 

### ESTATE GATES

Matching driveway gates are also available. Estate Gates are manufactured by Eastern using 3/4" square pickets welded in a U-Frame design for maximum strength and durability. Add circles, finials or scrolls to further enhance the beauty of these elegant entrance gates.

### SPECIAL SIZED GATES

Need a special size gate to fit between existing columns? Eastern Ornamental Aluminum Fence® can manufacture special size openings or special heights to meet a wide variety of non-standard gate requirements.

#### SERVICE

Eastern Ornamental Aluminum<sup>®</sup> is dedicated to delivering the highest quality product and service at the fastest turnaround times in the industry. (Please see the Eastern Ornamental<sup>®</sup> QuickShip<sup>®</sup> brochure for more information).
























Good Neighbor Recyclable No Maintenance

Budget Friendly All Weather

**QuickShip**<sup>®</sup>

**Hidden Screws** Avail. in Bronze





Aluminum Feature Strip







**EO4101-BK** is a 48" high three rail ornamental aluminum fence that duplicates the classic wrought iron fence look with an attractive pressed point at the top of each picket.

SHOWN (BOTH IMAGES): E04101-BK, 2" Posts, 2" Ball Caps (EOBC2-BK)





**EO4202-BK** is a 48" high (EO5202-BK = 60"H  $\ge$  & EO6202-BK = 72"H  $\ge$ ) three rail fence with a smooth top rail that covers each of the fifteen pickets. **Decorative arched accent gates are also available to enhance the beauty of any project.** 



## ALSO AVAILABLE IN 5' HEIGHT (EO5202-BK) 🜌 AND 6' HEIGHT (4-RAILS) (EO6202-BK) 🌌

TOP IMAGE: E06202-BK with Accent Gates (EOGF46202A-BK), 4" Gate Posts, 4" Ball Caps (EOBC4-BK) BOTTOM IMAGE: E04202-BK with Accent Gate (EOGF44202A-BK), 2" Gate Posts, 2" Flat Caps (EOFC2-BK), and EOL-BK Ornamental Resi Latch



# ALSO AVAILABLE IN 5' HEIGHT (EO5200-BK)



**EO4200-BK** is a 48" high (EO520w0-BK = 60"H EO6200-BK ) three rail fence that combines the best features of the EO4101 and EO4202. A smooth top rail covers an alternating arrangement of square and pressed point pickets. Arched accent gates are also available. TOP IMAGE: E04200-BK with 2" Flat Caps (EOFC2-BK) BOTTOM IMAGE: E04200-BK with 2" Ball Caps (EOBC2-BK)



# 4' OVATION

**EO40V-BK/BZ** is a 48" high two rail fence that meets the national BOCA pool code requirements and includes bigger pickets and rails for greater strength. Decorative arched accent gates are also available.







Ornamental Aluminum TOP IMAGE: E054202-BK with Accent Gate (EOGF454202A-BK), 4" Gate Posts, 4"Ball Caps (EOBC4-BK), and BOCA approved pool latch (MLDD-BK) BOTTOM IMAGE: E054202-BK with Accent Gate (EOGF454202A-BK), 4" Gate Posts, 4" Ball Caps (EOBC4-BK), and BOCA approved pool latch (MLDD-BK)

# 

**EO54202-BK/BZ** is a 54" high three rail fence that meets the national BOCA pool requirement and offers a smooth top rail that covers each of the pickets. Decorative arched accent gates are also available.



# 54" STYLE 200

**EO54200-BK/BZ** is a 54" high three rail fence that meets the national BOCA pool code requirements. It has smooth top rail covers and an alternating arrangement of square and pressed point pickets. Decorative arched accent gates are also available.

BOCA Pool Code Compliant



# ALSO AVAILABLE IN BRONZE

TOP IMAGE: E054200-BK with Matching Gate (EOGF454200-BK), 2" Gate Posts, 2" Flat Caps (EOFC2-BK), and BOCA approved pool latch (MLDD-BK) BOTTOM IMAGE: E054200-BK with 2" Flat Caps (EOFC2-BK)




8



# GATES

Eastern Ornamental gates feature an all welded design for maximum strength. You can choose a straight top design that matches the fencing or a decorative arched top design that gracefully rises above the fence height to accent the gate area. Special size openings are also available to fit between existing columns or non-standard opening requirements.





48"W x 48"H - EOGF44101A-BK 60"W x 48"H - EOGF54101A-BK



48"W x 48"H - EOGF44202-BK 60"W x 48"H - EOGF54202-BK 48"W x 60"H - EOGF45202-BK 60"W x 60"H - EOGF55202-BK

📲 🗘 🕺 🖬 🔚 🔛 🕅 48"W x 48"H - EOGF44202A-BK

60"W x 48"H - EOGF54202A-BK 48"W x 60"H - EOGF45202A-BK 60"W x 60"H - EOGF55202A-BK



48"W x 48"H - EOGF44200-BK 60"W x 48"H - EOGF54200-BK 48"W x 60"H - EOGF45200-BK 60"W x 60"H - EOGF55200-BK

🛥 🗅 🕺 🖬 🔚 🗳 🕅

48"W x 48"H - EOGF44200A-BK 60"W x 48"H - EOGF54200A-BK 48"W x 60"H - EOGF45200A-BK 60"W x 60"H - EOGF55200A-BK



60"W x 48"H - EOGF54101-BK

48"W x 48"H - EOGF440V-BK 60"W x 48"H - FOGF540V-BK





48"W x 54"H - EOGF454202-BK 60"W x 54"H - FOGF554202-BK

48"W x 54"H - EOGF454202A-BK

2 - C C C C C C C C C

48"W x 54"H - EOGF454200-BK

60" W x 54"H - EOGF554200-BK



48"W x 54"H - EOGF454200A-BK

#### ESTATE AND INDUSTRIAL SLIDE GATES

Eastern Ornamental Aluminum<sup>®</sup> Estate and Industrial Gates come in a variety of heights and openings. Estate Driveway Gates feature 3/4" square pickets in an all welded U-Frame design. Industrial Gates feature 1" square pickets. All gates are available in double drive or slide gates. 4" posts are recommended for gates over 29 sq. ft. in size (especially when an operator is to be used). 6" posts are recommended for single gates over 45 sq. ft. in size. Add circles, finials or scrolls to further enhance the beauty of these elegant entrance gates.

GATES COME WITH FLUSH BOTTOM ALL ARCHED ESTATE GATES **RISE I' ABOVE ORDER HEIGHT** 

ALL ESTATE

CUSTOM HEIGHTS AND **EXPOSED BOTTOM** GATES AVAILABLE



E С F A EASTERN ORNAMENTAL **ALUMINUM® INTERNAL SLIDE GATES** ALSO B D G **AVAILABLE** 

# FENCE ACCESSORIES

"You be the designer!" Feel free to Mix `n' Match post caps, scrolls, rings and latches to create the most attractive combination for your outdoor living space.





EOBC2-BK/BZ &

EOBC250-BK

2" & 2-1/2" Ball Cap



EOBC4-BK/BZ 4" Ball Cap



EOFC2-BK/BZ & EOFC250-BK/BZ 2"& 2-1/2" Flat Cap EOFC4-BK/BZ 4" Flat Cap

EOFC6-BK/BZ 6" Flat Cap



EOSS1-BK/BZ SS-1 Scroll



EORWM-BK/BZ

Resi Wall Mount



EOARWM-BK/BZ Adjustable Resi Wall Mount

EOOWM-BK/BZ Ovation Wall Mount

**EOORINGS-BK/BZ** 

EOAOWM-BK/BZ **Ovation Adjustable** Wall Mount

**EASTERN ORNAMENTAL ALUMINUM SPECIFICATIONS EO Fence EO Railing** 2.5" x 2.5" x 0.120" wall Posts 2" x 2" x 0.060" wall Posts 3" x 3" x 0.120" wall Posts 2.5" Post (4.25" x 4.25") 2" x 2" x .125" wall Gate Posts **Base Plate** 3" Post (4.75" x 4.75") 1" x .055" wall Top Rail 2.25"H x 2"W x MAX .090" wall Rails (Top Wall) (EOV 1.134" x .055" wall) **Rails (Side** 1" x .082" wall **Bottom Rail** 1.5"H x 1.25"W x MAX .050" wall Wall) (EOV 1.5" x .082 wall) 5/8" sq. x .050" wall Pickets Pickets .75" x .75" square x .050" wall (EOV 3/4"sq. x .050" wall) 3.86" MAX Pkt Spacing 3-15/16" Pkt Spacing 48", 54" and 60" Heights: Heights 36" and 42' Black (BK) and Bronze (BZ) Matte Finish Black Colors Colors: MATERIALS Posts 6061 T6 Aluminum Alloy Posts 6061 T6 Aluminum Alloy Rails 6061 T6 Aluminum Alloy Rails 6061 T6 Aluminum Alloy 6063 T5 Aluminum Alloy 6061 T6 Aluminum Alloy Pickets Pickets Finish **DuPont Powder Coating** Finish Interpon Powder Coating | Reading, PA FENCE GATES

Gate frames are welded and pickets are also welded at cross members for added strength Top and bottom rails match fence sections

Gate uprights are 1-5/8" x .125" wall thickness

Order matching 48" wide walk gate or 60" wide for double drive gate

Accent gates available for each style



EOH-BK/BZ

**Ornamental** 

Hinge

EODMC2-BK/BZ



**EOHIND-BK** Ornamental **Industrial Hinae** 

**EODR-BK** 

**Ornamental Drop Rod** 

LATCHES

EOL-BK

Ornamental **Resi Latch** 

> **MLDD-BK BOCA Approved Pool Latch**



\*Accessory images are not to scale.

#### **EASTERN ORNAMENTAL FENCE POOL CODE REFERENCE GUIDE**

BRONZE	WIDTH	HEIGHT	= POOL CODE COMPLIANT (Check local BOCA building codes for official pool code requirements)			
			48"	54"	60"	72"
<b>RESIDENTIAL</b> 5/8" x 5/8" pickets (E040V – 3/4" x 3/4" pickets)						
	72"	48"				
	72"	48"				
	72"	48"				
В	72"	48"	22			
В	72"	54"		20		
В	72"	54"		20		
	72"	60"			26	
	72"	60"			26	
	72"	72"				*
	72"	72"				¥.
INDUSTRIAL 1" x 1" pickets						
	96"	72"				k
	5/8" 5/8	5/8" x 5/8"pi         72"	5/8" x 5/8"pickets (E         72"       48"         72"       48"         72"       48"         72"       48"         10       72"         11       72"         12       72"         13       72"         72"       60"         72"       60"         72"       60"         72"       72"         72"       72"         72"       72"         72"       72"         72"       72"         72"       72"         72"       72"         72"       72"         72"       72"         72"       72"         72"       72"         72"       72"	48"       5/8" x 5/8"pickets (E040V - 3       72"     48"       72"     48"       72"     48"       72"     48"       72"     48"       72"     48"       72"     48"       72"     48"       72"     48"       72"     48"       72"     54"       72"     60"       72"     60"       72"     72"       72"     72"       72"     72"       72"     72"	Best         En         C(Check local BOC/ official pool coc dificial pool coc           5/8" x 5/8"pickets (EO40V - 3/4" x 3/4           72"         48"           72"         48"           72"         48"           72"         48"           72"         48"           72"         48"           72"         48"           72"         48"           72"         48"           72"         54"           72"         60"           72"         60"           72"         60"           72"         72"           72"         72"           72"         60"           72"         72"           72"         72"           72"         72"           72"         72"           72"         72"           72"         72"           72"         72"           72"         72"           72"         72"           72"         72"           72"         72"           72"         72"           72"         72"           72"         72" <t< th=""><th>By         En         Check local BOCA building code official pool code requirement           48"         54"         60"           5/8" x 5/8" pickets (E040V – 3/4" x 3/4" pickets         60"           72"         48"         60"           72"         48"         60"           72"         48"         60"           72"         48"         60"           72"         48"         60"           72"         48"         60"           72"         48"         60"           72"         48"         60"           72"         48"         60"         60"           8"         60"         60"         60"           8"         60"         60"         60"           72"         60"         60"         60"           72"         72"         60"         60"         60"           72"         72"         72"         72"         72"           72"         72"         72"         72"         72"           72"         72"         72"         72"         72"           72"         72"         72"         72"           72"         <th72"< th=""></th72"<></th></t<>	By         En         Check local BOCA building code official pool code requirement           48"         54"         60"           5/8" x 5/8" pickets (E040V – 3/4" x 3/4" pickets         60"           72"         48"         60"           72"         48"         60"           72"         48"         60"           72"         48"         60"           72"         48"         60"           72"         48"         60"           72"         48"         60"           72"         48"         60"           72"         48"         60"         60"           8"         60"         60"         60"           8"         60"         60"         60"           72"         60"         60"         60"           72"         72"         60"         60"         60"           72"         72"         72"         72"         72"           72"         72"         72"         72"         72"           72"         72"         72"         72"         72"           72"         72"         72"         72"           72" <th72"< th=""></th72"<>



# SUPREME QUALITY TIMELESS DESIGN THE PERFECT ACCENT

Professional Fence Dealer



(EOBC2-BK)

4: E04101-BK, 2" Po